


SAN-Power

For a powerful start




sanluc



Young animals are more vulnerable than older animals because their immune system and tolerances are still under development. This means the risk of contracting infections and becoming diseased is much higher in early stages of life.

SAN-Power


SAN-Power is a hydrolysable tannin-butyrates complex with a unique mode of action. Our product is specifically designed to provide calves, chicks, and piglets with an optimal beginning, setting them up to thrive. These young animals are equipped to maximize their growth potential while safeguarding them against costly pathogen infections, which could drain millions of Euro's from the industry and hinder technical performance. With the combined power of its ingredients, SAN-Power unlocks a remarkable synergetic effect that fosters the development and growth of these young animals.




Several studies with SAN-Power demonstrate that the product helps to

- Control pathogenic bacteria without inducing bacterial resistance nor influencing the beneficial bacteria
- Improve the overall health status, leading to better technical performance, and better manure/litter quality

SAN-Power helps in controlling pathogens




M. Mahu, F. Pasmans, F. Boyen, A. Decostere, F. Haesebrouck (2006)
 - research project: "Study of expression of Genes for Salmonella Typhimurium" - IWT040791) MEM at pH = 7; countings on BGA-plates. Strain associated with pigs.
 Trial done with component of SAN-Power




University of Ljubljana - Tierärztliche Fakultät, Institut für Mikrobiologie und Parasitologie 115 Ljubljana p.p. 3425 Gerbiceva 60 Trial done with component of SAN-Power


SAN-Power in vivo proven results



Experimental station, ILVO, Belgium 2019. 2T x 6 pens/T x 30 birds/pen.
 Control; Control + SAN-Power (750-500-500g/T)



SAN-Power in vivo proven results



Ghent university, Adagio project, Belgium 2021. 2 Treatments (T) x 10 pens/T x 6 piglets/pen.
 Control & SAN-Power components (1,5kg/ton Ca-Butyrate & 1,5kg/ton chesnut tannins)



Dosage recommendations:



Broilers:
500-1000 g/ton



Layers and breeders:
750-1500 g/ton



Turkeys:
1000-2000 g/ton



Piglets:
1.5-2 kg/ton



Sows:
1.5-2 kg/ton



Calves: 2-5 g/calf/day
Divided over two feed times
per day Giving from the start
via milkpowder or milk



Sheep and goats:
1-2 g/animal/day
(from day 3 via the milk)



Horses:
2 kg/ton



Langerbruggekaai 1, 9000 Ghent. BELGIUM
 sanluc@sanluc.be +32 9 252 69 21 www.sanluc.be

